

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™ LPXZ9 Version No. 6.0 Issue Date: 05/05/2021 ISSUED by MARINE & INDUSTRIAL MARKETING PAGE: 1 OF 6

1. IDENTIFICATION


GHS Product Identifier RAPP-IT PIPE REPAIR BANDAGE
 Company Name MARINE & INDUSTRIAL MARKETING (ABN 32 051 014 049)
 Address 12/14 Argyle Street, Albion, Queensland 4010 Australia
 Telephone/Fax Number Tel: +61 7 3262 3755 Fax: +61 7 3262 3255
 Emergency Phone Number Poisons Centre (13 11 26) 24hrs
 Recommended use of the chemical and restrictions on use Used for temporary emergency pipe repair for all pipes.

2. HAZARD IDENTIFICATION

GHS classification of the substance or mixture Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.
 Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
 Acute Toxicity - Inhalation: Category 4
 Skin Corrosion/Irritation: Category 2
 Eye Damage/Irritation: Category 2
 Sensitization - Respiratory: Category 1
 Sensitization - Skin: Category 1
 Carcinogenicity: Category 2
 STOT Single Exposure: Category 3 (respiratory tract irritation)
 STOT Repeated Exposure: Category 2

Signal Word(s) DANGER

Hazard Statement(s) H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.
 H373 May cause damage to organs through prolonged or repeated exposure.

Pictogram(s) Health hazard, Exclamation mark 

Precautionary Statement – Prevention P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 Wash skin thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P284 [In case of inadequate ventilation] wear respiratory protection.

Precautionary Statement – Response P314 Get medical advice/attention if you feel unwell.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

Precautionary Statement – Disposal P501 Dispose of contents/container to an approved waste disposal plant.

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™ LPXZ9

Version No. 6.0

Issue Date: 05/05/2021

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 2 OF 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Polyurethane prepolymer	Proprietary	40-<70 %
	Fiberglass	65997-17-3	30-60 %
	Diphenylmethane 4,4'- diisocyanate	101-68-8	1-<10 %
	Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	1-<3 %
	White mineral oil, petroleum	8042-47-5	1-<3 %
	Silicon dioxide, amorphous	68611-44-9	0.1-<1 %
	Ingredients determined not to be hazardous		Balance
Other Information	Polyurethane prepolymer contains Isocyanate-terminated and Polyol. DMSO extractible compounds according to IP 346: < 3%. Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.		

4. FIRST AID MEASURES

Inhalation	If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.
Skin	Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.
Eye	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.
First Aid Facilities	Eyewash, safety shower and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Dry chemical, carbon dioxide, regular foam extinguishing agent, spray.
Unsuitable Extinguishing Media	Avoid use of water jet for extinguishing.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.
Specific Hazards arising from the Chemical	Combustible solid. This product will burn if exposed to fire.
Decomposition Temp.	Not available.
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Remove all sources of ignition. Increase ventilation. Evacuate all unprotected personnel. Do not breathe dust. Wear respiratory protection and full protective clothing to minimise exposure. Sweep up material avoiding dust generation - dampen spilled material with water if suitable to avoid airborne dust, OR where possible use dustless methods such as vacuum to collect the material; then transfer material in to suitable vapour tight labelled containers for subsequent recycling or disposal. Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
----------------------	---

7. HANDLING AND STORAGE

Precautions for Safe Handling	Avoid inhalation of dust, and skin or eye contact. Use only in a well ventilated area. Avoid inhalation of dust generated when removing the product from pipes, and skin or eye contact. Use disposable gloves. Product will adhere on contact with skin or clothing, if product adheres to skin remove as soon as possible with acetone or alcohol. Prevent the build up of dust in the work atmosphere. Establish good housekeeping practices. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities. Avoid exposure. Do not handle until all safety precautions have been read and understood. Do not use warm or hot water. Bandage may generate heat during application.
Conditions for Safe Storage including any Incompatibilities	Store in a well ventilated area away from heat and sources of ignition, out of direct sunlight and moisture. Take precautions against static electricity discharges. Use proper grounding procedures. Store away from incompatible materials such as materials that support combustion (oxidising materials). Store in suitable, labelled containers. Inspect periodically for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Ensure that storage conditions comply with applicable local and national regulations. For information on the handling of Combustible dusts and grounding procedure reference should be made to Australian Standard AS/NZS 4745 - 'Code of Practice for Handling Combustible Dusts'.

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™ LPXZ9

Version No. 6.0

Issue Date: 05/05/2021

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 3 OF 6

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupation Exposure Limit Values	Substance	Regulations	Exposure Duration	Exposure Limit	Units	Notes
	Continuous glass filament	Safe Work Australia	TWA	2	mg/m3	(inhalable dust) Synthetic mineral fibres
	Diphenylmethane 4,4'-diisocyanate	Safe Work Australia	TWA	0.02	mg/m3	Sen, Isocyanates, all (as NCO)
	Diphenylmethane 4,4'-diisocyanate	Safe Work Australia	STEL	0.07	mg/m3	Sen, Isocyanates, all (as NCO)
Biological Limit Values	No biological limits allocated.					
Control Banding	Not available					
Engineering Controls	None required when used as intended. This substance is hazardous and should be used with a local exhaust ventilation system, drawing solid/dust away from workers' breathing zone. A flameproof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.					
Respiratory Protection	None required when used as intended. If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.					
Eye and Face Protection	None required when used as intended. Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.					
Hand Protection	Wear gloves of impervious material such as disposable gloves or nitrile disposable gloves included in the packaging. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.					
Thermal Hazards	No further relevant information available.					
Body Protection	Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.					
Other Information	No exposure standards have been established for this material, however, the TWA exposure standards for dust not otherwise specified is 10 mg/m ³ . As with all chemicals, exposure should be kept to the lowest possible levels. Oil mist, refined mineral TWA: 5 mg/m ³ TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week. Source: Safe Work Australia					

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Solid
Appearance	Knitted fabric coated with sticky resin
Colour	White/off white
Odour	A unique, weak odour
Freezing Point	Not available
Boiling Point	Not available
Decomposition Temperature	Not available
Solubility in Water	Reacts with water
Specific Gravity	1.12 (25°C)
pH	Not available
Vapour Pressure	Not available
Relative Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Viscosity	Refer to Section 9: Kinematic Viscosity and Dynamic Viscosity
Partition Coefficient: n-octanol/water (log value)	Not available

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™ LPXZ9

Version No. 6.0

Issue Date: 05/05/2021

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 4 OF 6

Flash Point	> 200 °C
Flammability	Not flammable
Auto-Ignition Temperature	Not available
Explosion Limit - Upper	Not available
Explosion Limit - Lower	Not available
Explosion Properties	Not available
Oxidising Properties	Not available
Kinematic Viscosity	Not available
Dynamic Viscosity	Not available

10. STABILITY AND REACTIVITY

Reactivity	Curing reaction occurs with water. Chemical resistance test results for the cured bandage for exposure for 1 month: 1. Exposure to ethanol, diesel, gasoline, pure water, toluene. No change in bandage. 2. Exposure to acetone, mineral spirits, xylene, MEK, sulfuric acid 30%. Some colour change. 3. Exposure to caustic soda 20% and caustic soda 50% - no colour change, slightly reduced hardness. Bandage maintained integrity. 4. Exposure to 50% nitric acid. Severe discoloration, slightly reduced hardness. Bandage maintained integrity. 5. Exposure to hydrochloric acid 30%. Severe discoloration, no softening of bandage.
Chemical Stability	Stable under normal conditions of storage and handling.
Possibility of hazardous reactions	Not available
Conditions to Avoid	Avoid contact with incompatible materials and condition. Avoid: accumulation of electrostatic charges, heating, flames and hot surfaces. Avoid moisture or water before use. This will cause unwanted hardening.
Incompatible Materials	Uncured bandage: Acids and bases, amines, alcohols and strong oxidizing agents.
Hazardous Decomposition Products	Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide, carbon dioxide and oxides of nitrogen.
Hazardous Polymerization	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information	No toxicity data available for this material.
Ingestion	Ingestion unlikely due to form of product.
Inhalation	Harmful if inhaled. May cause respiratory irritation. Inhalation of product dust can cause irritation of the nose, throat and respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin	Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis. May cause an allergic skin reaction.
Eye	Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.
Respiratory Sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Suspected of causing cancer. Classified as a suspected human carcinogen. Glass filament, continuous, diphenylmethane 4,4'- diisocyanate, highly refined mineral oil and amorphous silica are listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-Single Exposure	May cause respiratory irritation.
STOT-Repeated Exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard	Not expected to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity	No ecological data available for this material.
Persistence and Degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Other Adverse Effects	Not available
Environmental Protection	Prevent this material entering waterways, drains and sewers.
Hazardous to the Ozone Layer	This product is not expected to deplete the ozone layer.

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™ LPXZ9

Version No. 6.0

Issue Date: 05/05/2021

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 5 OF 6

13. DISPOSAL CONSIDERATIONS

Disposal Considerations The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations. To minimise personal exposure, refer to Section 8 - Exposure Controls and Personal Protection.

14. TRANSPORT INFORMATION

Transport Information Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

ADG UN Number None Allocated

ADG Proper Shipping Name None Allocated

ADG Transport Hazard Class None Allocated

ADG Packing Group None Allocated

Special Precautions for User Not available

IATA UN Number None Allocated

IATA Proper Shipping Name Not dangerous for conveyance under IATA code

IATA Transport Hazard Class None Allocated

IATA Packing Group None Allocated

IMDG UN Number None Allocated

IMDG Proper Shipping Name Not dangerous for conveyance under IMO/IMDG code

IMDG Transport Hazard Class None Allocated

IMDG Packing Group None Allocated

IMDG Marine pollutant No

Transport in Bulk Not available

15. REGULATORY INFORMATION

Regulatory information Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.
Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule S6

Montreal Protocol Not Listed

Stockholm Convention Not Listed

Rotterdam Convention Not Listed

International Convention for the Prevention of Pollution from Ships (MARPOL) Not available

Agricultural and Veterinary Chemicals Act 1994 Not applicable

Basel Convention Not available

16. ANY OTHER RELEVANT INFORMATION

Date of Preparation SDS Reviewed: May 2021, Supersedes: August 2020

Literature References Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
Standard for the Uniform Scheduling of Medicines and Poisons.
Australian Code for the Transport of Dangerous Goods by Road & Rail.
Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
Code of Practice for Supply Diversion into Illicit Drug Manufacture.
National Code of Practice for Chemicals of Security Concern.
Agricultural Compounds and Veterinary Chemicals Act.
International Agency for Research on Cancer (IARC) Monographs.
Montreal Protocol on Substances that Deplete the Ozone Layer.
Stockholm Convention on Persistent Organic Pollutants (POPs).
Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™ LPXZ9

Version No. 6.0

Issue Date: 05/05/2021

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 6 OF 6

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.
International Air Transport Association (IATA) Dangerous Goods Regulations.
International Maritime Dangerous Goods (IMDG) Code.
Workplace exposure standards for airborne contaminants.
Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).
Globally Harmonised System of Classification and Labelling of Chemicals.
Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

Contact Person/Point

Tel: +61 7 3262 3755

...END OF SDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.


SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™ LQ5PY Version No. 3.0 Issue Date: 18/05/2022 ISSUED by MARINE & INDUSTRIAL MARKETING PAGE: 1 OF 7

1. IDENTIFICATION

GHS Product Identifier	RAPP-IT STEEL PUTTY 90MM
Company Name	MARINE & INDUSTRIAL MARKETING (ABN32051 014 049)
Address	12/14 Argyle Street, Albion, Queensland 4010 Australia
Telephone/Fax Number	Tel: +61 7 3262 3755 Fax: +61 7 3262 3255
Emergency Phone Number	Poisons Centre (13 11 26) 24hrs (24 hour a day available) NZ National Poisons Centre: 0800 764 766 (0800POISON) 24/7 INFOTRAC 24/7: Australia: 1-300-366-961 USA/Canada: 1-800-535-5053 All other countries: 1-352-323-3500
Recommended use of the chemical and restrictions on use	Adhesives, Sealants.

2. HAZARD IDENTIFICATION

GHS classification of the substance or mixture	Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia. Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition) Skin corrosion/Irritation: Category 2 Eye Damage/Irritation: Category 2 Sensitisation - skin: Category 1 Specific target organ toxicity (single exposure): Category 3 (Respiratory tract irritation)
Signal Word(s)	WARNING
Hazard Statement(s)	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.
Pictogram(s)	Exclamation mark 
Precautionary Statement – Prevention	P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/eye protection/face protection.
Precautionary Statement – Response	P312 Call a POISON CENTER/doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P302+P352 IF ON SKIN: Wash with plenty of water/soap. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.
Precautionary Statement – Storage	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
Precautionary Statement – Disposal	P501 Dispose of contents/container to an approved waste disposal plant.
Other Information	No exposure to free respirable silica is anticipated during normal use of this product. During cutting or demolition operations crystalline silica may become available for breathing. Harmful to aquatic life with long lasting effects. Sanding and grinding dusts may be harmful if inhaled. This product contains crystalline silica which can cause lung cancer or silicosis. The risk of cancer depends on the duration and level of exposure to dust from sanding surfaces or mist from spray applications.

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™ LQ5PY

Version No. 3.0

Issue Date: 18/05/2022

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 2 OF 7

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Talc	14807-96-6	20-<50 %
	Glass, oxide, chemicals	65997-17-3	10-30 %
	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	72244-98-5	5-<10 %
	Epichlorohydrin, bisphenol A resin	25068-38-6	5-<10 %
	bis-[4-(2,3-epoxipropoxy)phenyl]propane	1675-54-3	5-<10 %
	Quartz [Silica Crystalline]	14808-60-7	0.1-<1 %
	Ingredients determined not to be hazardous		Balance
Other Information	Talc: Non-asbestos form Fibreglass type: Continuous filament glass fibers (E-type) Epichlorohydrin, bisphenol A resin: Average molecular weight ≤ 700 Quartz [Silica Crystalline]: Respirable powder (< 10 microns) bis-[4-(2,3-epoxipropoxy)phenyl]propane Common name: Bisphenol A, diglycidyl ether This product contains non-respirable crystalline silica and talc, which are embedded in an impervious polymer matrix. No exposure to free respirable silica is anticipated during normal use of this product.		

4. FIRST AID MEASURES

Inhalation	If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.
Skin	Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.
Eye	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.
First Aid Facilities	Eyewash, safety shower and normal washroom facilities.
Advice to Doctor	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Protection for First Aiders	No action shall be taken involving any personal risk or without suitable training. Wear appropriate personal protective equipment and clothing to prevent exposure. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Other Information	For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Use appropriate fire extinguisher for surrounding environment.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including oxides of sulphur, halogenated compounds, metal oxides, carbon monoxide, carbon dioxide and oxides of nitrogen.
Specific Hazards arising from the Chemical	This product is non combustible. However heating can cause expansion or decomposition leading to violent rupture of containers.
Hazchem Code	Not regulated
Decomposition Temp.	>150°C
Precautions in connection with Fire	Isolate the area. No action shall be taken involving any personal risk or without suitable training. Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	No action shall be taken involving any personal risk or without suitable training. Increase ventilation. Evacuate all unprotected personnel. Do not touch or walk through spilled material. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid exposure to spillage by sweeping up material avoiding dust generation - dampen spilled material with water if suitable to avoid airborne dust, OR where possible use dustless methods such as vacuum to collect the material; then transfer material in to suitable labelled containers for subsequent recycling or disposal. Keep containers tightly closed. Wash surfaces well with soap and water. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations. Recommended Materials - Filter type: High-efficiency particulate air (HEPA) filter
----------------------	---

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™ LQ5PY

Version No. 3.0

Issue Date: 18/05/2022

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 3 OF 7

7. HANDLING AND STORAGE

Precautions for Safe Handling	Avoid inhalation of dust, and skin or eye contact. Do not get this material on clothing. Do not ingest. Use only in a well ventilated area. Keep containers sealed when not in use. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Remove contaminated clothing and protective equipment before entering eating areas. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Empty containers may contain hazardous residues. Do not re-use container.
Conditions for Safe Storage including any Incompatibilities	Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Keep only in original container. Do not store in unlabelled containers. Keep containers tightly closed. Store away from incompatible materials. Keep away from food, drink and animal feeding stuffs. In order to prevent spillages, always ensure that these containers are stored and transported in upright position. Ensure that storage conditions comply with applicable local and national regulations. Use appropriate containment (of product and fire fighting water) to avoid environmental contamination.
Storage Temperatures	Store below 35°C. Do not store below 5 °C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupation Exposure Limit Values	Substance	Regulations	Exposure Duration	Exposure Limit	Units	Notes
	Continuous glass filament	Safe Work Australia	TWA	2	mg/m3	(inhalable dust)
	Quartz (respirable dust)	Safe Work Australia	TWA	0.05	mg/m3	
	Talc, (containing no asbestos fibres)	Safe Work Australia	TWA	2.5	mg/m3	
Biological Limit Values	No biological limits allocated.					
Engineering Controls	This substance is hazardous and should be used with a local exhaust ventilation system, drawing solid/dust away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.					
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/vapour/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.					
Eye and Face Protection	Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.					
Hand Protection	Wear gloves of impervious material such as butyl rubber. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.					
Thermal Hazards	No further relevant information available.					
Body Protection	Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.					

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Solid
Appearance	Grey, Black [Dark] solid
Colour	Grey, Black [Dark]
Odour	Sulfurous. Pungent. [Strong]
Decomposition Temperature	>150°C
Melting Point	Not available
Boiling Point	Not available
Solubility in Water	Insoluble in the following materials: cold water and hot water.
Solubility in Organic Solvents	Partially soluble in the following materials: methanol, diethyl ether, n-octanol and acetone.
Specific Gravity	2.25 - 2.26
pH	Not applicable
Vapor Pressure	Not available
Vapor Density (Air=1)	Not available
Evaporation Rate	Not applicable
Odour Threshold	Not available

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™ LQ5PY

Version No. 3.0

Issue Date: 18/05/2022

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 4 OF 7

Viscosity	Refer to Section 9: Kinematic Viscosity and Dynamic Viscosity
Partition Coefficient: n-octanol/water (log value)	Not available
Flash Point	Not applicable Does not sustain combustion (Closed Cup)
Flammability	Not flammable
Auto-Ignition Temperature	Not available
Explosion Limit - Upper	Not applicable
Explosion Limit - Lower	Not applicable
Kinematic Viscosity	Not applicable
Dynamic Viscosity	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	Refer to Section 10: Possibility of hazardous reactions
Chemical Stability	Stable under normal conditions of storage and handling.
Possibility of hazardous reactions	Reacts with incompatible materials. Under normal conditions of storage and use, hazardous reactions will not occur. When exposed to high temperatures may produce hazardous decomposition products.
Conditions to Avoid	Heat, open flames and other sources of ignition. Extremes of temperature and direct sunlight.
Incompatible Materials	Strong exothermic reaction with: oxidising agents, strong acids and strong alkalis.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes including: oxides of sulphur, halogenated compounds, metal oxides, carbon monoxide and carbon dioxide.
Hazardous Polymerization	Not available

11. TOXICOLOGICAL INFORMATION

Toxicology Information	Toxicity data for material given below.
Acute Toxicity - Oral	Epichlorohydrin, bisphenol A resin LD50 (rat): > 2 g/kg bis-[4-(2,3-epoxipropoxy)phenyl]propane LD50 (rat): 15000 mg/kg
Acute Toxicity - Dermal	Epichlorohydrin, bisphenol A resin LD50 (rabbit): > 2 g/kg bis-[4-(2,3-epoxipropoxy)phenyl]propane LD50 (rabbit): 23000 mg/kg
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Inhalation	May cause respiratory irritation. Inhalation of product dust can cause irritation of the nose, throat and respiratory system. Chronic exposure to this material may aggravate existing respiratory disorders and lung disorders such as bronchitis, emphysema and asthma. Onset and progression are related to dust concentrations and duration of exposure.
Skin	Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis. May cause an allergic skin reaction.
Skin Corrosion/Irritation	Epichlorohydrin, bisphenol A resin Classification: Skin Corrosion/Irritation: Category 2 Species: Rabbit Result: Mild irritant bis-[4-(2,3-epoxipropoxy)phenyl]propane Classification: Skin Corrosion/Irritation: Category 2 Species: Rabbit Exposure time: 4 hours Result: Mild irritant Species: Rabbit Exposure time: 4 hours Score: 0.8 (Erythema/Eschar) Species: Rabbit Exposure time: 4 hours Score: 0.5 (Edema)

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™ LQ5PY

Version No. 3.0

Issue Date: 18/05/2022

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 5 OF 7

Eye	Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.
Serious Eye Damage/Irritation	Epichlorohydrin, bisphenol A resin Classification: Eye Damage/Irritation: Category 2 Species: Rabbit Result: Mild irritant bis-[4-(2,3-epoxipropoxy)phenyl]propane Classification: Eye Damage/Irritation: Category 2 Species: Rabbit Exposure time: 24 hours Result: Mild irritant Species: Rabbit Exposure time: 24 hours Score: 0.4 (Redness of the conjunctivae)
Respiratory Sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	May cause an allergic skin reaction. Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether Classification: Sensitisation - Skin: Category 1 Epichlorohydrin, bisphenol A resin Classification: Sensitisation - Skin: Category 1 Species: Mouse Exposure routes: Skin Result: Sensitising bis-[4-(2,3-epoxipropoxy)phenyl]propane Classification: Sensitisation - Skin: Category 1 Species: Mouse Exposure routes: Skin Result: Sensitising
Germ Cell Mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard. This product contains crystalline silica. No exposure to free respirable crystalline silica is anticipated during normal use of this product as silica is bound in the liquid/paste. It should be noted, however, that respirable crystalline silica has been listed as a Group 1 human carcinogen by the IARC. Inhalation of respirable silica may cause cancer, silicosis or other serious delayed lung injury. Grinding or machining of coated materials may release silica. Use approved dust respirator when grinding, sanding or machining the dried items. Talc not containing asbestos or asbestiform fibres is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC). Glass filament, continuous is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC). bis-[4-(2,3-epoxipropoxy)phenyl]propane is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC). Quartz [Silica Crystalline] Classification: Carcinogenicity: Category 1A.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT - Single Exposure	May cause respiratory irritation.
Talc	Classification: Specific target organ toxicity (single exposure): Category 3 (Respiratory tract irritation)
STOT - Repeated Exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Harmful to aquatic life with long lasting effects. Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether: Classification: Hazardous to the aquatic environment, long-term (Chronic): Category Chronic 3 Epichlorohydrin, bisphenol A resin: Classification: Hazardous to the aquatic environment, long-term (Chronic): Category Chronic 2 bis-[4-(2,3-epoxipropoxy)phenyl]propane: Classification: Hazardous to the aquatic environment, long-term (Chronic): Category Chronic 2
-------------	--

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™ LQ5PY

Version No. 3.0

Issue Date: 18/05/2022

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 6 OF 7

Persistence and degradability	Product: Not available Epichlorohydrin, bisphenol A resin: Not readily biodegradable. Result: 5% biodegradability in 28 days Method: OECD Test Guideline 301F bis-[4-(2,3-epoxipropoxy)phenyl]propane: Not readily biodegradable.
Mobility	Not available
Bioaccumulative Potential	Product: Not available Epichlorohydrin, bisphenol A resin: Low bioaccumulation potential. Bioconcentration Factor (BCF): 31 logPow: 3
Other Adverse Effects	No known significant effects or critical hazards.
Environmental Protection	Prevent this material entering waterways, drains and sewers.
Acute Toxicity - Daphnia	Epichlorohydrin, bisphenol A resin: LC50 (Daphnia): 1.8 mg/l/48h bis-[4-(2,3-epoxipropoxy)phenyl]propane: LC50 (Daphnia magna, fresh water): 1.8 mg/l/48h
Hazardous to the Ozone Layer	This product is not expected to deplete the ozone layer.
Other Information	Chronic aquatic toxicity: Epichlorohydrin, bisphenol A resin: NOEC (Daphnia): 0.3 mg/l/21d bis-[4-(2,3-epoxipropoxy)phenyl]propane: NOEC (Daphnia): 0.3 mg/l/21d

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. Dispose of contents/ container to a licensed waste contractor. Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned. Empty containers may contain hazardous residues. Incineration or landfill should only be considered when recycling is not feasible. To minimise personal exposure, refer to Section 8 - Exposure Controls and Personal Protection.
-------------------------	---

14. TRANSPORT INFORMATION

Transport Information	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition) Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air. Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
ADG U.N. Number	Not regulated
ADG Proper Shipping Name	Not regulated
ADG Transport Hazard Class	Not regulated
ADG Packing Group	Not regulated
Hazchem Code	Not regulated
Special Precautions for User	Closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
IATA UN Number	Not regulated
IATA Proper Shipping Name	Not regulated
IATA Transport Hazard Class	Not regulated
IATA Packing Group	Not regulated
IMDG UN Number	Not regulated
IMDG Proper Shipping Name	Not regulated
IMDG Transport Hazard Class	Not regulated

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™ LQ5PY

Version No. 3.0

Issue Date: 18/05/2022

ISSUED by MARINE & INDUSTRIAL MARKETING

PAGE: 7 OF 7

IMDG Packing Group	Not regulated
IMDG Marine pollutant	No
Transport in Bulk	Not available

15. REGULATORY INFORMATION

Regulatory Information	Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Poisons Schedule	Not Scheduled
Australia (AICS/AIIC)	All components of this product are listed on the Inventory or exempted.
Montreal Protocol	Not Listed
Stockholm Convention	Not Listed
Rotterdam Convention	Not Listed
International Convention for the Prevention of Pollution from Ships (MARPOL)	Not available
Agricultural and Veterinary Chemicals Act 1994	Not applicable
Basel Convention	Not available

16. ANY OTHER RELEVANT INFORMATION

Date of preparation	SDS Reviewed: May 2022, Supersedes: May 2019
Literature References	Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Code of Practice for Supply Diversion into Illicit Drug Manufacture. National Code of Practice for Chemicals of Security Concern. Agricultural Compounds and Veterinary Chemicals Act. International Agency for Research on Cancer (IARC) Monographs. Montreal Protocol on Substances that Deplete the Ozone Layer. Stockholm Convention on Persistent Organic Pollutants (POPs). Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade. Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal. International Air Transport Association (IATA) Dangerous Goods Regulations. International Maritime Dangerous Goods (IMDG) Code. Workplace exposure standards for airborne contaminants. Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH). Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition). Code of Practice: Managing Noise and Preventing Hearing Loss at Work.
Contact Person/Point	Tel: +61 7 3262 3755

...END OF SDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.